




# Reliable solutions with optimised performance



3M innovation provides quality you can count on in a full line of premium engineered abrasives and convenient all-purpose abrasive products for use in stock removal, blending, finishing and polishing applications for industrial applications.

The combination of several minerals, resin systems and backings results in a wide variety of products to meet requirements for use on most wood, metal, composite, gel coat, painted substrates or hard to grind materials.

# Abrasives

Abrasive Discs	T.2
Abrasive Sheet	T.3
Abrasive Sponges	T.4
Sanding Cloth Belt	T.5
Scotch Brite Sheets & Discs	T.6





### 3M HOOKIT PAPER DISC (WITH DUST EXTRACTION)


**Applications:**

- Ideal for intermediate and final sanding on lacquered hard and soft woods, paints, lacquers, primers, solid surface materials and plastics

**Features:**

- “C” weight paper disc with Hookit™ attachment for orbital sanders and off hand sanding
- Pack quantity 100

Size(mm)	Grit	Holes	Product	Code
150	80	7	338U	1-720-080
150	120	7	338U	1-720-120
150	150	7	338U	1-720-150
150	180	7	338U	1-720-180
150	240	7	338U	1-720-240
150	320	7	338U	1-720-320
150	400	7	338U	1-720-400



### 3M HOOKIT GOLD PAPER DISC (WITH DUST EXTRACTION)

**Applications:**

- Intermediate and final sanding of furniture parts, varnished surfaces, kitchen counter-tops, plastic parts


**Features:**

- Anti loading benefits, particularly with fine grades on difficult to sand top coats and primers
- 255P+ 15-hole Discs and Pads achieve a better cut, with less loading and a reduction in airborne dust
- 15-hole configuration provides improved dust extraction
- Suits 15-hole and 9-hole configuration
- Pack quantity 100

Size(mm)	Grit	Holes	Product	Code
150	80	15	255P+	1-722-080
150	100	15	255P+	1-722-100
150	120	15	255P+	1-722-120
150	150	15	255P+	1-722-150
150	180	15	255P+	1-722-180
150	240	15	255P+	1-722-240
150	320	15	255P+	1-722-320
150	400	15	255P+	1-722-400

### 3M HOOKIT BACKING PADS

- Designed with high performance hole patterns when coupled with 3M™ HOOKIT™ Discs



Description	Diameter	Thickness	Thread Size	Number of Holes	Max RPM	Code
Low Profile	152mm	19mm	5/16-24 RXT	25	12,000	1-113-004



### 3M GOLD PAPER SHEETS

#### Applications:

- Use for fine finishing on timber, primers and painted surfaces

#### Features:

- A high performance aluminium oxide mineral on a "C" weight paper backing
- An anti loading treatment has been applied to extend the working life of the product
- Pack quantity 50

Size(mm)	Grit	Product	Code
230 x 280	80	255P	<b>1-724-080</b>
230 x 280	100	255P	<b>1-724-100</b>
230 x 280	120	255P	<b>1-724-120</b>
230 x 280	150	255P	<b>1-724-150</b>
230 x 280	180	255P	<b>1-724-180</b>
230 x 280	240	255P	<b>1-724-240</b>
230 x 280	320	255P	<b>1-724-320</b>
230 x 280	400	255P	<b>1-724-400</b>



### 3M GOLD PAPER ROLL

#### Applications:

- Suitable for sanding timber, fillers, lacquers, paint and metal surfaces

#### Features:

- A high performance aluminium oxide mineral on a "C" weight paper backing
- An anti loading treatment has been applied to extend the working life of the product
- Roll form allows for user to make custom length sheets for various tools and custom made hand sanding blocks

Size(mm)	Grit	Product	Code
115 x 50m	60	255P	<b>1-701-060</b>
115 x 50m	80	255P	<b>1-701-080</b>
115 x 50m	120	255P	<b>1-701-120</b>
115 x 50m	150	255P	<b>1-701-150</b>
115 x 50m	180	255P	<b>1-701-180</b>
115 x 50m	240	255P	<b>1-701-240</b>
115 x 50m	320	255P	<b>1-701-320</b>



### 3M GOLD SOFT HAND ROLLS


#### Applications:

- Performs well on most wood types
- Ideal for difficult to sand areas

#### Features:

- Combination of an "A" weight paper and flexible foam backing to create a soft sanding sheet for hand finishing
- Each sheet (114 x 135mm) is dispensed from a perforated roll

Size(mm)	Grit	Product	Code
114 x 25m	180	216U	<b>1-725-180</b>
114 x 25m	240	216U	<b>1-725-240</b>
114 x 25m	320	216U	<b>1-725-320</b>
114 x 25m	400	216U	<b>1-725-400</b>



### 3M HI-FLEX SANDING SPONGES

**Applications:**

- Conformable, flexible and convenient sponges are great for sanding wood, paint, metal, plastic and fibre cement
- Can be used for either dry or wet sanding
- Rinse and reuse

**Features:**

- Abrasive on two sides
- Conformable, extremely flexible and convenient

Size(mm)	Grit	Code
96 x 123 x 12	Fine	1-725-104
96 x 123 x 12	Medium	1-725-103

### 3M SOFT BACK SANDING SPONGES



**Applications:**

- A perfect solution for sanding wood, paint, metal, plastic and fibre cement
- Can be used for either dry or wet sanding

**Features:**

- Engineered with abrasive on one side
- Conformable, extremely flexible and convenient
- Pack quantity 20

Size(mm)	Grit	Code
115 x 140 x 5	Super Fine	1-725-107
115 x 140 x 5	Fine	1-725-105
115 x 140 x 5	Medium	1-725-110

### 3M SANDING BLOCK



**Applications:**

- Ideal for dry or wet sanding of wood, paint, metal, plastic and fibre cement
- Rinse and reuse

**Features:**

- Abrasive on all four sides
- Conformable, so you can get into tough to reach spots

Size(mm)	Grit	Code
96 x 66 x 25	Fine	1-725-102
96 x 66 x 25	Medium	1-725-101

# Abrasives

## SANDING CLOTH BELT



### 3M ALUMINIUM OXIDE BELTS



#### Applications:

- Open coated belt, suitable for sanding or grinding
- Added durability maintains flex for working contours

#### Features:

- Aluminium oxide abrasive product constructed on a semi-flexible x weight for added durability, cotton cloth backing
- To be run dry
- Pack quantity 10

Size(mm)	Grit	Code
75 x 533	60	1-704-060
75 x 533	80	1-704-080
75 x 533	100	1-704-100
75 x 533	120	1-704-120
75 x 610	60	1-705-060
75 x 610	80	1-705-080
75 x 610	100	1-705-100
75 x 610	120	1-705-120
100 x 610	60	1-721-060
100 x 610	80	1-721-080
100 x 610	100	1-721-100
100 x 610	120	1-721-120
100 x 610	150	1-721-150
100 x 610	180	1-721-180

### BELT ABRASIVE RESTORER



Description	Size	Code
Belt Abrasive Restorer	220mm x 34mm x 34mm	1-106-208

## SCOTCH-BRITE SHEETS & DISCS

### SCOTCH-BRITE MULTI-FLEX ABRASIVE SHEET ROLL



#### Applications:

- Very fine grade is a highly conformable abrasive with high cut for paint preparation and wood finishes without dumping edges
- Very fine can be used for scuffing prior to undercoat and paint for optimum mechanical adhesion
- Ultra fine is a highly conformable abrasive with silicon carbide mineral for exceptional finishes on wood and metal
- Ultra fine is ideal for preparing for colour coat and simple blending

#### Features:

- Can be used wet or dry, will not rust or clog
- Highly conformable and load resistant

Size(mm)	Grit	Colour	Code
100 x 200 x 60 Sheets	Ultra Fine	Grey	<b>1-120-750</b>
100 x 200 x 60 Sheets	Very Fine	Maroon	<b>1-120-752</b>

### SCOTCH-BRITE CLEAN AND FINISH DISCS



#### Applications:

- Very Fine grade is highly conformable abrasive with high cut for paint preparation and wood finishes without dumping edges
- Very Fine grade can deliver a matte finish on solid surface benchtops
- Ultra Fine grade is highly conformable abrasive with silicon carbide mineral for exceptional finishes on wood and metal
- Ultra Fine grade can deliver a semi gloss finish on solid surface benchtops

#### Features:

- Can be used wet or dry, will not rust or clog
- Highly conformable and load resistant

Size(mm)	Grit	Colour	Code
150mm (No Holes)	Ultra Fine	Grey	<b>1-119-060</b>
150mm (No Holes)	Very Fine	Maroon	<b>1-119-050</b>



## 3M VHB Tapes for high holding power



For more than 30 years, industries worldwide have been using 3M VHB tapes for high holding power in static and dynamic loads. Viscoelastic properties absorb shock and distribute stress evenly for bonding power that helps eliminate mechanical fastening in many jobs.

Quick permanent assembly of cladding and curtain wall panels, 3M VHB tapes provide an ideal combination of performance, durability and application ease. 3M VHB Tapes replace rivets and screws in bonding side panels to trailers and buses for a smoother, cleaner appearance and a strong permanent bond that seals dissimilar metals while separating the surfaces to reduce potential for galvanic corrosion.

**3M**