



Invisible as if glued, versatile as if screwed



The Invis Mx2 from Lamello satisfies the highest demands for aesthetics, stability and productivity.

With no visible openings, Invis Mx2 can be quickly detached and reconnected at any time via the rotating magnetic field of the MiniMag Mx2 that drives the connector just as one cogwheel drives another.

With a powerful 250kg of clamping force in each connector the perfectly clamped joints require no extra screws or the need for clamps.

Once they're joined the job is done.



 swiss made

Repairs & Corrections

- Novoryt Thermal-Plastic Repair Filler _____ V.2
- Repair Sticks _____ V.2
- Filler & Filler Accessories _____ V.3
- Putty Repair _____ V.4
- Touch Up Repair _____ V.5
- Correction Accessories _____ V.6



Adhesives, Sealants & Fasteners



Repairs & Corrections

NOVORYT THERMAL - PLASTIC REPAIR FILLER



NOVORYT REPAIR 60 KIT

Features:

- Includes gas knife & canister
- 60 x repair stick colours

| Description | Code |
|-----------------------|------------------|
| Novoryt Repair 60 Kit | 2-149-090 |



NOVORYT REPAIR 40 KIT

Features:

- Includes gas knife & canister
- 40 x repair stick colours

| Description | Code |
|-----------------------|------------------|
| Novoryt Repair 40 Kit | 2-149-095 |



NOVORYT REPAIR 20 KIT

Features:

- Includes gas knife & canister
- 20 x repair stick colours

| Description | Code |
|-----------------------|------------------|
| Novoryt Repair 20 Kit | 2-149-099 |



NOVORYT REPAIR PARTS



| Description | Code |
|--------------------------|-------------------|
| Novoryt Repair Gas Knife | 2-149-0992 |
| Novoryt Gas Knife Tip | 2-149-0995 |
| Novoryt Gas Canister | 2-149-100 |

NOVORYT REPAIR STICKS

- Individual repair sticks

| Type | Colour Name | Code |
|-------------|-------------------|------------------|
| Novoryt 164 | Clear | 2-149-164 |
| Novoryt 219 | White | 2-149-219 |
| Novoryt 240 | New Antique White | 2-149-240 |
| Novoryt 209 | Antique White | 2-149-209 |
| Novoryt 215 | Flax | 2-149-215 |
| Novoryt 172 | Marl Beige | 2-149-172 |
| Novoryt 171 | Natural Beech | 2-149-171 |
| Novoryt 218 | Best Tawa | 2-149-218 |
| Novoryt 111 | Oak | 2-149-111 |
| Novoryt 169 | Ash White | 2-149-169 |
| Novoryt 107 | Birch | 2-149-107 |
| Novoryt 203 | Opal Grey | 2-149-203 |
| Novoryt 205 | Folkstone | 2-149-205 |
| Novoryt 216 | Wilsonart Cloud | 2-149-216 |
| Novoryt 202 | Twilight | 2-149-202 |

| Type | Colour Name | Code |
|-------------|----------------------|------------------|
| Novoryt 231 | Colonial Blue | 2-149-231 |
| Novoryt 207 | Storm | 2-149-207 |
| Novoryt 238 | Briar | 2-149-238 |
| Novoryt 208 | Porcelain Rose | 2-149-208 |
| Novoryt 114 | Birch / Light Cherry | 2-149-114 |
| Novoryt 213 | Nullabor | 2-149-213 |
| Novoryt 122 | American Walnut | 2-149-122 |
| Novoryt 115 | Dark Cherry | 2-149-115 |
| Novoryt 123 | Autumn Cherry | 2-149-123 |
| Novoryt 212 | Reef | 2-149-212 |
| Novoryt 151 | Blue | 2-149-151 |
| Novoryt 152 | Red | 2-149-152 |
| Novoryt 153 | Yellow | 2-149-153 |
| Novoryt 220 | Black | 2-149-220 |

THIS COLOUR CHART IS FOR REFERENCE ONLY.
LINCOLN SENTRY RECOMMENDS COLOUR MATCHING BEFORE PRODUCT IS USED.

Repairs & Corrections

WOODFILLER

Timbermate Woodfiller



Features:

- A water-based 4 in 1 filler. Timbermate is a crackfiller, edgefiller, grainfiller and woodputty all in one
- Will not crack, shrink, sink or fall out
- When watered down can be used as a sanding sealer
- Non flammable / non toxic
- 100% Australian made and owned
- Fast drying (approx. 20-30 minutes), can be heat dried with a heat gun or lamp
- Stainable, before or after application

Applications:

- Fills cracks in all types of timber, masonry, plaster, flooring, drywall, brick, concrete, fibreglass, plastic or metal
- Can be mixed with wood glues
- Recommended for interior use only
- Clean hands or tools with water after use



| Timbermate Colour | Content | Code | Timbermate Colour | Content | Code |
|-------------------|---------|------------------|-------------------|---------|------------------|
| Tasmanian Oak | 250g | 2-147-411 | Pine | 500g | 2-147-472 |
| Tasmanian Oak | 500g | 2-147-415 | Pine | 2kg | 2-147-473 |
| Jarrah | 500g | 2-147-422 | Cedar Blackwood | 250g | 2-147-481 |
| Mahogany | 250g | 2-147-431 | Cedar Blackwood | 500g | 2-147-482 |
| Mahogany | 500g | 2-147-432 | Teak | 250g | 2-147-491 |
| Maple | 250g | 2-147-441 | Teak | 500g | 2-147-492 |
| Maple | 500g | 2-147-442 | Walnut | 250g | 2-147-501 |
| Oak | 250g | 2-147-461 | Walnut | 500g | 2-147-502 |
| Oak | 500g | 2-147-462 | White | 250g | 2-147-511 |
| Pine | 250g | 2-147-471 | White | 500g | 2-147-512 |

WAX STICK

FASTCAP SoftWax Stick Kit



Features:

- 20 colours available in kit (blend colours to match just about anything)
- Hard-shell case to keep your wax organised and clean
- Includes WaxWedge and buffing pad

| Type | Colour | Code |
|----------------------------|------------|------------------|
| FASTCAP SoftWax Filler Kit | 20 Colours | 2-149-060 |

| Type | Colour | Code | Type | Colour | Code |
|-------------------|-------------|------------------|-------------------|--------------|------------------|
| SoftWax Stick 1S | White | 2-149-067 | SoftWax Stick 11S | Medium Brown | 2-149-077 |
| SoftWax Stick 2S | Beige | 2-149-068 | SoftWax Stick 12S | Dark Brown | 2-149-078 |
| SoftWax Stick 3S | Tawa | 2-149-069 | SoftWax Stick 13S | Mahogany | 2-149-079 |
| SoftWax Stick 4S | Riversand | 2-149-070 | SoftWax Stick 14S | Walnut | 2-149-080 |
| SoftWax Stick 5S | Caramel | 2-149-071 | SoftWax Stick 15S | Rosewood | 2-149-081 |
| SoftWax Stick 6S | Pottery | 2-149-072 | SoftWax Stick 16S | Cedar | 2-149-082 |
| SoftWax Stick 7S | Oak | 2-149-073 | SoftWax Stick 18S | Terracotta | 2-149-084 |
| SoftWax Stick 8S | Coffee | 2-149-074 | SoftWax Stick 19S | Burgundy | 2-149-085 |
| SoftWax Stick 9S | Light Brown | 2-149-075 | SoftWax Stick 20S | Black | 2-149-086 |
| SoftWax Stick 10S | Teak | 2-149-076 | | | |

Repairs & Corrections



GLAZING PUTTY - WOOD GRADE

Conway Linseed Oil Putty

Features:

- Suitable for glazing, joinery, general plumbing and painting repairs
- Suitable for back-bedding and glazing timber framed windows, door panels etc.
- Sold as individual tubs

| Type | Colour | Content | Code |
|----------------------|---------------------|---------|-----------|
| Conway | White | 400g | 2-164-680 |
| Conway | White | 1.75kg | 2-164-690 |
| Conway | White | 5kg | 2-164-682 |
| Conway | White | 10kg | 2-164-683 |
| Conway | White | 20kg | 2-164-685 |
| Conway (Steel Frame) | Grey | 10kg | 2-164-684 |
| Conway (Steel Frame) | Grey | 20kg | 2-164-689 |
| Conway | Cedar / Light Brown | 20kg | 2-164-688 |



GLAZING PUTTY - WOOD GRADE

Selleys Linseed Oil Putty



Features:

- Superior grade wood sash putty
- Suitable for back-bedding and glazing timber framed windows, door panels etc.

| Type | Colour | Content | Code |
|---------|--------|---------|-----------|
| Selleys | White | 450g | 2-164-667 |
| Selleys | White | 2kg | 2-164-668 |



GLAZING PUTTY - WOOD GRADE

Robertson's Linseed Oil Putty

Features:

- Suitable for glazing, joinery, general plumbing and painting repairs
- Suitable for back-bedding and glazing timber framed windows, door panels etc.

| Type | Colour | Content | Code |
|-------------|-------------|---------|-----------|
| Robertson's | White | 20kg | 2-164-677 |
| Robertson's | Light Brown | 20kg | 2-164-678 |



PLASTIC PUTTY REPAIR

Selleys Plastic Bond Putty



Features:

- Multi-purpose plastic putty that can be used for building or repair work where filling, bonding or moulding is necessary
- Sets in 20 mins after hardener mixed in

| Description | Content | Code |
|--------------------------|---------|-----------|
| Plasti-Bond (Heavy Duty) | 1.6kg | 1-130-516 |
| Tradie's Bog | 550g | 1-130-507 |
| Tradie's Bog | 900g | 1-130-508 |

Repairs & Corrections



FURNITURE REPAIR CRAYON



Features:

- To fill in and re-colour scratch or cut damages in furniture
- Sold as a box quantity

| Colour | Box Qty | Code | Colour | Box Qty | Code |
|---------------|---------|------------------|----------------|---------|------------------|
| Black | 12 | 2-147-245 | Folkstone Grey | 12 | 2-147-252 |
| Antique White | 12 | 2-147-247 | Walnut | 12 | 2-147-253 |
| White | 12 | 2-147-250 | Oak | 12 | 2-147-254 |
| Marl Beige | 12 | 2-147-251 | | | |



TOUCH UP PAINTS



- 150g aerosol can

| Description | Code | Description | Code |
|-----------------------|------------------|-----------------------|------------------|
| Anodic Bronze | 3-700-710 | Jasper | 3-700-806 |
| Anotec Dark Grey | 3-700-713 | Paperbark | 3-700-807 |
| Apo Grey | 3-700-715 | Pale Eucalypt | 3-700-810 |
| Anotec XT Silver Grey | 3-700-717 | Deep Ocean | 3-700-812 |
| Dune | 3-700-725 | Night Sky | 3-700-813 |
| Blue Ridge | 3-700-728 | Notre Dame | 3-700-815 |
| Black Gloss | 3-700-730 | Surf Mist | 3-700-820 |
| Black Satin | 3-700-735 | Pottery | 3-700-835 |
| Matt Black | 3-700-738 | Precious Silver Pearl | 3-700-840 |
| Light Bronze | 3-700-740 | Primrose | 3-700-845 |
| Medium Bronze | 3-700-745 | Sandbank | 3-700-847 |
| Bushland/ Teatree | 3-700-748 | Shale Grey | 3-700-849 |
| Charcoal | 3-700-750 | Wilderness | 3-700-852 |
| Clear Anodised | 3-700-760 | Woodland Grey | 3-700-860 |
| Doeskin | 3-700-765 | Monument | 3-700-862 |
| Cottage Green | 3-700-770 | Evening Haze | 3-700-864 |
| Hammersley Brown | 3-700-780 | Loft | 3-700-866 |
| Headland | 3-700-783 | Classic Cream | 3-700-868 |
| Hawthorn Green | 3-700-790 | Stone Beige | 3-700-870 |
| Heritage Green | 3-700-792 | Transformer Grey | 3-700-878 |
| Manor Red | 3-700-795 | Pearl White | 3-700-890 |
| Almond Ivory | 3-700-802 | Satin White | 3-700-892 |
| Ironstone | 3-700-804 | White Birch | 3-700-895 |
| Magnolia | 3-700-805 | Windspray | 3-700-897 |



ETCH PRIMER



Features:

- 300g aerosol can
- Suitable for steel, aluminium, chrome, zincalume, galvanised iron, copper, brass, stainless steel, & other metal alloys

| Description | Code |
|-------------|------------------|
| Etch Primer | 3-700-301 |

Repairs & Corrections



LIQUID LAMINATE

Features:

- For the repair of small chips and imperfections in melamine board and laminate
- Water based acrylic, thin and easily cleaned with water
- Colour darkens when dry, mix one shade lighter when mixing paints
- 15ml bottle

| Colour | Code | Colour | Code |
|-----------------------|-----------|-------------------|-----------|
| Alabaster | 2-149-000 | Marl Beige | 2-149-025 |
| Almond | 2-149-005 | Moonstone | 2-149-030 |
| Black | 2-149-007 | New Antique White | 2-149-035 |
| Classic Beige | 2-149-010 | Sage | 2-149-045 |
| Pewter Grey | 2-149-015 | Silver Grey | 2-149-050 |
| Folkstone/Oyster Grey | 2-149-020 | White | 2-149-055 |



DAB STICKS

Features:

- 14ml bottle
- Repairs small chips

| Description | Code |
|-------------|-----------|
| Black Satin | 3-700-535 |
| Ivory Coast | 3-700-602 |
| Primrose | 3-700-645 |
| Pearl White | 3-700-690 |
| White Birch | 3-700-695 |



RUBBING BLOCK

Sandflex Aluminium Rubbing Block

Features:

- Can be used with water, soap, paraffin and other fluids or pastes for improved effect
- Use on iron, steel, metals, paintwork, varnish, wood, leather, paper, ceramics, porcelain, plastics and rubber

| Description | Grade | Code |
|-------------|-------|-----------|
| Sandflex | Fine | 2-408-555 |



ADHESIVE PACK

Combination Adhesive Pack

Features:

- Hides unsightly chips, scratches & saw cut marks in melamine around pipes and drains
- Items are also available as individual items

| Description | Code |
|-------------------------------|-----------|
| Combination Pack | 1-482-155 |
| 40mm Waste Access Cover Plate | 1-482-150 |
| 50mm Waste Access Cover Plate | 1-482-151 |
| 65mm Waste Access Cover Plate | 1-482-152 |
| Blank Flange BF60 | 1-482-153 |
| Wall Outlet Flange | 1-482-154 |
| Blank Sheet BS300 | 1-482-158 |
| Copper Pipe Flange | 1-482-159 |



Selleys Plasti-Bond

Send in the heavies



Selleys Plasti-Bond is a multi-purpose plastic putty that can be used for building or repair work where filling, bonding or moulding is necessary. It sets in 20 minutes without shrinkage, after the hardener is mixed in.

Once it has hardened it can be sawn, drilled, tapped, sanded and painted and can be coloured with cement oxides or paint tinters (before adding hardener).

Selleys Plasti-Bond is perfect for use on wood, plaster, brick, metal, alloys, ceramics, fibre cement, glass and tiles. Also available is Selley's Tradie's Blog.

SELLEYS®
IF IT'S SELLEYS IT WORKS™

Architectural Hardware Catalogue Amendments



V - REPAIRS & CORRECTIONS

AS OF 01 JULY 2014

| Page | Product | Amendment | Amendment Date |
|------|-----------------|---------------|----------------|
| V.5 | Touch Up Paints | Codes removed | 01 July 2014 |