




Reliable solutions with optimised performance



3M innovation provides quality you can count on in a full line of premium engineered abrasives and convenient all-purpose abrasive products for use in stock removal, blending, finishing and polishing applications for industrial applications.

The combination of several minerals, resin systems and backings results in a wide variety of products to meet requirements for use on most wood, metal, composite, gel coat, painted substrates or hard to grind materials.

Abrasives

| | |
|--------------------|-----|
| Abrasive Discs | Q.2 |
| Abrasive Sheet | Q.3 |
| Abrasive Sponges | Q.4 |
| Sanding Cloth Belt | Q.5 |
| Scotch Brite | Q.6 |





3M HOOKIT PAPER DISC (WITH DUST EXTRACTION)


Applications:

- Ideal for intermediate and final sanding on lacquered hard and soft woods, paints, lacquers, primers, solid surface materials and plastics

Features:

- “C” weight paper disc with Hookit™ attachment for orbital sanders and off hand sanding
- Pack quantity 100

| Size(mm) | Grit | Holes | Product | Code |
|----------|------|-------|---------|-----------|
| 150 | 80 | 7 | 338U | 1-720-080 |
| 150 | 120 | 7 | 338U | 1-720-120 |
| 150 | 150 | 7 | 338U | 1-720-150 |
| 150 | 180 | 7 | 338U | 1-720-180 |
| 150 | 240 | 7 | 338U | 1-720-240 |
| 150 | 320 | 7 | 338U | 1-720-320 |
| 150 | 400 | 7 | 338U | 1-720-400 |



3M HOOKIT GOLD PAPER DISC (WITH DUST EXTRACTION)

Applications:

- Intermediate and final sanding of furniture parts, varnished surfaces, kitchen counter-tops, plastic parts


Features:

- Anti loading benefits, particularly with fine grades on difficult to sand top coats and primers
- 255P+ 15-hole Discs and Pads achieve a better cut, with less loading and a reduction in airborne dust
- 15-hole configuration provides improved dust extraction
- Suits 15-hole and 9-hole configuration
- Pack quantity 100

| Size(mm) | Grit | Holes | Product | Code |
|----------|------|-------|---------|-----------|
| 150 | 80 | 15 | 255P+ | 1-722-080 |
| 150 | 100 | 15 | 255P+ | 1-722-100 |
| 150 | 120 | 15 | 255P+ | 1-722-120 |
| 150 | 150 | 15 | 255P+ | 1-722-150 |
| 150 | 180 | 15 | 255P+ | 1-722-180 |
| 150 | 240 | 15 | 255P+ | 1-722-240 |
| 150 | 320 | 15 | 255P+ | 1-722-320 |
| 150 | 400 | 15 | 255P+ | 1-722-400 |

3M HOOKIT BACKING PADS

- Designed with high performance hole patterns when coupled with 3M™ HOOKIT™ Discs



| Description | Diameter | Thickness | Thread Size | Number of Holes | Max RPM | Code |
|-------------|----------|-----------|-------------|-----------------|---------|-----------|
| Low Profile | 152mm | 19mm | 5/16-24 RXT | 25 | 12,000 | 1-113-004 |



3M GOLD PAPER SHEETS

Applications:

- Use for fine finishing on timber, primers and painted surfaces

Features:

- A high performance aluminium oxide mineral on a "C" weight paper backing
- An anti loading treatment has been applied to extend the working life of the product
- Pack quantity 50

| Size(mm) | Grit | Product | Code |
|-----------|------|---------|------------------|
| 230 x 280 | 80 | 255P | 1-724-080 |
| 230 x 280 | 100 | 255P | 1-724-100 |
| 230 x 280 | 120 | 255P | 1-724-120 |
| 230 x 280 | 150 | 255P | 1-724-150 |
| 230 x 280 | 180 | 255P | 1-724-180 |
| 230 x 280 | 240 | 255P | 1-724-240 |
| 230 x 280 | 320 | 255P | 1-724-320 |
| 230 x 280 | 400 | 255P | 1-724-400 |



3M GOLD PAPER ROLL

Applications:

- Suitable for sanding timber, fillers, lacquers, paint and metal surfaces

Features:

- A high performance aluminium oxide mineral on a "C" weight paper backing
- An anti loading treatment has been applied to extend the working life of the product
- Roll form allows for user to make custom length sheets for various tools and custom made hand sanding blocks

| Size(mm) | Grit | Product | Code |
|-----------|------|---------|------------------|
| 115 x 50m | 60 | 255P | 1-701-060 |
| 115 x 50m | 80 | 255P | 1-701-080 |
| 115 x 50m | 120 | 255P | 1-701-120 |
| 115 x 50m | 150 | 255P | 1-701-150 |
| 115 x 50m | 180 | 255P | 1-701-180 |
| 115 x 50m | 240 | 255P | 1-701-240 |
| 115 x 50m | 320 | 255P | 1-701-320 |



3M GOLD SOFT HAND ROLLS


Applications:

- Performs well on most wood types
- Ideal for difficult to sand areas

Features:

- Combination of an "A" weight paper and flexible foam backing to create a soft sanding sheet for hand finishing
- Each sheet (114 x 135mm) is dispensed from a perforated roll

| Size(mm) | Grit | Product | Code |
|-----------|------|---------|------------------|
| 114 x 25m | 180 | 216U | 1-725-180 |
| 114 x 25m | 240 | 216U | 1-725-240 |
| 114 x 25m | 320 | 216U | 1-725-320 |
| 114 x 25m | 400 | 216U | 1-725-400 |



3M HI-FLEX SANDING SPONGES

Applications:

- Conformable, flexible and convenient sponges are great for sanding wood, paint, metal, plastic and fibre cement
- Can be used for either dry or wet sanding
- Rinse and reuse

Features:

- Abrasive on two sides
- Conformable, extremely flexible and convenient

| Size(mm) | Grit | Code |
|---------------|--------|-----------|
| 96 x 123 x 12 | Fine | 1-725-104 |
| 96 x 123 x 12 | Medium | 1-725-103 |

3M SOFT BACK SANDING SPONGES



Applications:

- A perfect solution for sanding wood, paint, metal, plastic and fibre cement
- Can be used for either dry or wet sanding

Features:

- Engineered with abrasive on one side
- Conformable, extremely flexible and convenient
- Pack quantity 20

| Size(mm) | Grit | Code |
|---------------|------------|-----------|
| 115 x 140 x 5 | Super Fine | 1-725-107 |
| 115 x 140 x 5 | Fine | 1-725-105 |
| 115 x 140 x 5 | Medium | 1-725-110 |

3M SANDING BLOCK



Applications:

- Ideal for dry or wet sanding of wood, paint, metal, plastic and fibre cement
- Rinse and reuse

Features:

- Abrasive on all four sides
- Conformable, so you can get into tough to reach spots

| Size(mm) | Grit | Code |
|--------------|--------|-----------|
| 96 x 66 x 25 | Fine | 1-725-102 |
| 96 x 66 x 25 | Medium | 1-725-101 |



3M ALUMINIUM OXIDE BELTS



Applications:

- Open coated belt, suitable for sanding or grinding
- Added durability maintains flex for working contours

Features:

- Aluminium oxide abrasive product constructed on a semi-flexible x weight for added durability, cotton cloth backing
- To be run dry
- Pack quantity 10

| Size(mm) | Grit | Code |
|-----------|------|-----------|
| 75 x 533 | 60 | 1-704-060 |
| 75 x 533 | 80 | 1-704-080 |
| 75 x 533 | 100 | 1-704-100 |
| 75 x 533 | 120 | 1-704-120 |
| 75 x 610 | 60 | 1-705-060 |
| 75 x 610 | 80 | 1-705-080 |
| 75 x 610 | 100 | 1-705-100 |
| 75 x 610 | 120 | 1-705-120 |
| 100 x 610 | 60 | 1-721-060 |
| 100 x 610 | 80 | 1-721-080 |
| 100 x 610 | 100 | 1-721-100 |
| 100 x 610 | 120 | 1-721-120 |
| 100 x 610 | 150 | 1-721-150 |
| 100 x 610 | 180 | 1-721-180 |

BELT ABRASIVE RESTORER



| Description | Size | Code |
|------------------------|---------------------|-----------|
| Belt Abrasive Restorer | 220mm x 34mm x 34mm | 1-106-208 |

SCOTCH-BRITE



SCOTCH-BRITE MULTI-FLEX ABRASIVE SHEET ROLL

Applications:

- Very fine grade is a highly conformable abrasive with high cut for paint preparation and wood finishes without dumping edges
- Very fine can be used for scuffing prior to undercoat and paint for optimum mechanical adhesion
- Ultra fine is a highly conformable abrasive with silicon carbide mineral for exceptional finishes on wood and metal
- Ultra fine is ideal for preparing for colour coat and simple blending

Features:

- Can be used wet or dry, will not rust or clog
- Highly conformable and load resistant

| Size(mm) | Grit | Colour | Code |
|-----------------------|------------|--------|-----------|
| 100 x 200 x 60 Sheets | Ultra Fine | Grey | 1-120-750 |
| 100 x 200 x 60 Sheets | Very Fine | Maroon | 1-120-752 |

SCOTCH-BRITE CLEAN AND FINISH DISCS



Applications:

- Very Fine grade is highly conformable abrasive with high cut for paint preparation and wood finishes without dumping edges
- Very Fine grade can deliver a matte finish on solid surface benchtops
- Ultra Fine grade is highly conformable abrasive with silicon carbide mineral for exceptional finishes on wood and metal
- Ultra Fine grade can deliver a semi gloss finish on solid surface benchtops

Features:

- Can be used wet or dry, will not rust or clog
- Highly conformable and load resistant

| Size(mm) | Grit | Colour | Code |
|------------------|------------|--------|-----------|
| 150mm (No Holes) | Ultra Fine | Grey | 1-119-060 |
| 150mm (No Holes) | Very Fine | Maroon | 1-119-050 |



3M VHB Tapes

for high holding power



For more than 30 years, industries worldwide have been using 3M VHB tapes for high holding power in static and dynamic loads. Viscoelastic properties absorb shock and distribute stress evenly for bonding power that helps eliminate mechanical fastening in many jobs.

Quick permanent assembly of cladding and curtain wall panels, 3M VHB tapes provide an ideal combination of performance, durability and application ease. 3M VHB Tapes replace rivets and screws in bonding side panels to trailers and buses for a smoother, cleaner appearance and a strong permanent bond that seals dissimilar metals while separating the surfaces to reduce potential for galvanic corrosion.

