



COMPLIANCE CERTIFICATE

AS / NZS 5601.1: 2013 Gas Installations Part 1: General Installations

Australian Standard AS 5601.1 is a national standard which is referenced in the BCA (Australian Building Code) and applies in all states of Australia.

If the splashback (vertical surface) is closer than 200 mm from the outer edge of a gas burner, then the provisions of AS 5601.1 apply. Reference clause 6.10.1.1 (b) Figure 6.3.

This certificate certifies that DecoSplash aluminium splashbacks comply with the requirement of AS 5601.1 clause 6.10.1.2, Appendix C Table C1 and clause 6.2.5 of the standard, when used with gas cooktops, where DecoSplash is installed closer than 200 mm from the outer periphery of the gas burner, and installed on a 10 mm gypsum based backing material.

AS / NZS 1530.3: 1999 Methods for Fire Tests on Building Materials

Australian Standard AS 1530.3 is a national standard which is referenced in the BCA (Australian Building Code) and applies in all states of Australia.

The BCA 2015 Volume 1, Clause C1.12 (e) states that pre-finished metal sheeting must be tested to AS 1530.2 to enable the material to satisfy the requirements as a non-combustible material.

This certificate certifies that DecoSplash aluminium splashbacks have been tested by the CSIRO to AS 1530.3 and that the CSIRO have issued a Certificate of Assessment stating that DecoSplash complies with the requirements of the BCA 2015 Volume 1, Clause C1.12 (e) and that DecoSplash may be used wherever a non-combustible material is required by the BCA.



Decorative Imaging Pty Ltd ACN 108 720 118
26 Barry Road, Chipping Norton NSW 2170
PO Box 523, Moorebank NSW 1875
P | 02 9726 7726 F | 02 9728 4684 E | info@deco.net.au